

References

- Biggs, B. J. F. 2000. Eutrophication of streams and rivers: dissolved nutrient-chlorophyll relationships for benthic algae. *Journal of the North American Benthological Society*, 19, 17-31.
- Cade, B. S. & Noon, B. R. 2003. A gentle introduction to quantile regression for ecologists. *Frontiers in Ecology and the Environment*, 1 (8), 412-420. Available: DOI doi:10.1890/1540-9295(2003)001[0412:AGITQR]2.0.CO;2
- Canning, A. D. 2018. Predicting New Zealand riverine fish reference assemblages. *PeerJ*, 6, e4890. Available: DOI 10.7717/peerj.4890
- Davies-Colley, R. J. 2000. "Trigger" values for New Zealand rivers. Hamilton: NIWA.
- Death, R. G., Death, F., Stubbington, R., Joy, M. K. & van den Belt, M. 2015. How good are Bayesian belief networks for environmental management? A test with data from an agricultural river catchment. *Freshwater Biology*, 60 (11), 2297-2309. Available: DOI doi:10.1111/fwb.12655
- Joy, M. K. 2009. *Temporal and land-cover trends in freshwater fish communities in New Zealand's rivers: an analysis of data from the New Zealand Freshwater Fish Database – 1970 – 2007*. Wellington: Prepared for the Ministry for the Environment.
- Joy, M. K. & Death, R. G. 2004. Application of the Index of Biotic Integrity Methodology to New Zealand Freshwater Fish Communities. *Environmental management*, 34 (3), 415-428. Available: DOI 10.1007/s00267-004-0083-1
- Joy, M. K., Foote, K. J., McNie, P. & Piria, M. 2019. Decline in New Zealand's freshwater fish fauna: effect of land use. *Marine and Freshwater Research*, 70 (1), 114-124.
- Larned, S. T., Snelder, T., Unwin, M., McBride, G., Verburg, P. & McMillan, H. 2015. *Analysis of Water Quality in New Zealand Lakes and Rivers*. Christchurch: NIWA.
- Matheson, F., Quinn, J. & Hickey, C. W. 2012. *Review of the New Zealand instream plant and nutrient guidelines and development of an extended decision making framework: Phases 1 and 2 final report*. Hamilton, New Zealand: National Institute of Water and Atmospheric Research. Report number: CHC2013-122.
- Matheson, F., Quinn, J. & Unwin, M. J. 2016. *Instream plant and nutrient guidelines: Review and development of an extended decision-making framework Phase 3*. Hamilton: NIWA.
- McDowell, R. W., Snelder, T. H., Cox, N., Booker, D. J. & Wilcock, R. J. 2013. Establishment of reference or baseline conditions of chemical indicators in New Zealand streams and rivers relative to present conditions. *Marine and Freshwater Research*, 64 (5), 387-400. Available: DOI <https://doi.org/10.1071/MF12153>
- Salas, A. K. & Borrett, S. R. 2011. Evidence for the dominance of indirect effects in 50 trophic ecosystem networks. *Ecological Modelling*, 222 (5), 1192-1204. Available: DOI <https://doi.org/10.1016/j.ecolmodel.2010.12.002>
- Unwin, M. J. & Larned, S. T. 2013. *Statistical models, indicators and trend analyses for reporting national-scale river water quality) (NEMAR Phase 3)*. Christchurch: NIWA.
- Williamson, W. M., Close, M. E., Leonard, M. M., Webber, J. B. & Lin, S. 2012. Groundwater Biofilm Dynamics Grown In Situ Along a Nutrient Gradient. *Groundwater*, 50 (5), 690-703. Available: DOI doi:10.1111/j.1745-6584.2011.00904.x