

Comparison of the single house/general residential provisions in tier 1 council district plans

Provisions	Proposed Medium Density Residential Standards ¹	Tier 1 Councils ²														
		Auckland	Hamilton				Tauranga		Wellington				Christchurch			
		Auckland Unitary Plan – Single House Zone	Hamilton District Plan – General Residential Zone	Waikato District Plan (Operative)		Waipā District Plan – Residential Zone	Tauranga District Plan – Suburban Residential Zone	Western Bay of Plenty District Plan – Residential Zone	Wellington City District Plan – Outer Residential Zone	Porirua District Plan – Suburban Zone	Hutt City District Plan – General Residential Zone	Upper Hutt District Plan – Residential Zone	Kāpiti Coast District Plan – General Residential	Christchurch District Plan - Residential Suburban Zone	Selwyn District Plan – Living 1 Zone	Waimakariri District Plan – Residential 2 / 3 Zone
Dwellings permitted (max)	3	1	1	1	1	1	1	1	2	3 (2 share a party wall and one detached)	2	1	1	1	1	1
Building height (max)	11m	8m	10m	8m	7.5m	9m	9m	8m	8m	8m	8m	8m	8m	8m	8m	8m
Height in relation to boundary (max)	6m + 60°	2.5m + 45°	3m + 28° to 45°	3m + shortest distance between building and site boundary	2.5m + 37°	2.7m + 28° to 45°	2.7m + 45° to 55°	2m + 45°	2.5m + 45°	3m + 45°	2m + 45°	2.7m + 35° to 45°	2.1m + 45°	2.3m + 55°	2.5m + 30° to 55°	2.5m + 35° to 55°
Setbacks (min)	Front – 2.5m Side – 1m Rear – 1m	Front – 3m Side/Rear – 1m	Front – between 3m and 5m Side/Rear – 1.5m	Front – 4m or 6m with garage Side/Rear – 1m	Front (garage) – 6m Rear – 6m Side - 1.5m	Front – 4m Side/rear – 2m	Front – 3m Side/Rear – 1.5m	Front 4m (5m with garage) Side/Rear – 1.5m	3 metres, or 10 metres less half the width of the road, whichever is the lesser No side yards	Front yard – 5m Rear/Side – 1.5m	Front – 3m Side/Rear – 1m	Front – 4m Rear – 3m Side – 1.5m and 3m	Front – 4.5m or 3m if no garage Side/Rear – 3m (if front site one side 1.5m)	Front – 4.5m (5.5m with garage)	Front – 4m Side/Rear – 2m	2m from any road boundary/accessway
Building coverage (max)	50%	35%	40%	40% (sewered) 25% (unsewered)	40%	40%	45% - 55% (site area dependent)	40%	35%	35%	40%	35%	40%	35%	40%	35%
Landscaped area/permeable surface (min)	-	40%	Front, through, corner site – 50% Entire site – 30%	30%	No requirement	40%	No requirement	No requirement	No requirement	No requirement	30%	No requirement	30%	20%	No requirement	No requirement
Impervious coverage (max)	60%	60%	No requirement	No requirement	50%	No requirement	70%	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement
Outdoor living space (min) (d) – dimension (GF) – ground floor (UF) upper floor	15m ² + 3m (d) (GF) 8m ² + 1.8m (d) (UF)	No requirement	Up to 2 bed – 35m ² and 10m ² for additional bed. 4m(d) or 6m circle with 2.5m(d)	50% of gross floor area of house or 60m ² + 4m(d)	80m ² + 6m (d)	50m ² + 4m(d)(GF) upper floor includes 8m ² + 2m (d)	50m ²	No requirement	50m ² + 4m (d)	50m ² + 4(d)	50m ² + 4m(d)	6m(d) circle (GF)	40m ² + 2.5m(d) and 4m diameter circle	90m ² + 6m(d)	50m ² + 4m (d) (GF) 1.5m(d) (UF)	No requirement
Outlook space (min)	Principal living room - 3m x 3m All other habitable rooms – 1m x 1m	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	No requirement	4m from internal boundary for balconies	No requirement	No requirement

1. Residential zoning incorporating the MDRS may use more enabling standards.
2. Operative district plan provisions have been simplified in this table to demonstrate comparison with the proposed medium density residential standards. Please refer to individual council plans for the more complete information on each rule and standard.