

Design Principle 2: Foster a Unique & Enduring Identity

That celebrates and responds to the cultural and landscape values of Te Pūtahi Ladies Mile


Te Pūtahi Ladies Mile is situated in a unique and significant natural environment with a compelling ecological and cultural history. The design has an opportunity to reflect and celebrate the natural and cultural memory of the area and to establish a strong local identity for new and existing residents and visitors.


Developments within Te Pūtahi Ladies Mile should be responsive to the Maori and pioneer history of the area, as well as the ecological and landscape context.

a Hill, the Remarkables and Light Arthur Art

Living in Te Pūtahi

- Views through site maintained, with views prioritised towards Slope
- Strong pedestrian and cycle connectivity through street networks, landscape elements, open space, and development areas.
- Existing landscape character is maintained and enhanced where appropriate.
- 4 Shared amenity for medium/high density housing including outdoor space with consideration for good solar, gardens, bike storage etc.
- Stormwater strategy is aligned with landscape strategy to generate habitat for species as well as usable park space and green outlook.
- Emphasis on native regenerative planting alongside local exotic species to represent the dual landscape heritage. Planting to streets, swales and parks enrich the landscape character.
- The Outstanding Natural Feature status of Slope Hill is celebrated for its open space qualities and visual amenity. Higher density living overlooks open space amenity.
- Attractive street design allows for interaction, safe play spaces and shared use. A focus on streets for pedestrians and cyclists with slow vehicle movement and 'play along the way' interventions for family use.
- A variety of housing types provide a diversity of size, type, style, cost and amenity.
- Medium/high density housing is designed with good outlook, sunlight access, connection to nature, shared high quality amenity.
- (11) Consolidated shared parking.





Landscape Character and Heritage

Heritage Elements Retained



A - Glenpanel Homestead



B - Robert Lee Memorial Trough



C - Threepwood Villa



D - Marshall Cottage



E - Threepwood Store/ Stables/ Woolshed

Retained and zoned for commercial use to allow for hospitality function and public interaction. Land zoning does not change, the character and amenity of the Threepwood area and heritage features are maintained.

Retained Existing Trees (Masterplan Concept)

Retained existing trees in the masterplan concept includes:

- 1. Trees along the south side of State Highway 6.
- Trees on the bank to the south of the sports hub, screen for potential Sylvan St link.
- 3. Walnut trees to the south of the Community Hub.
- 4. Oak tree avenue shown on the masterplan east of the Primary School.
- 5. Trees associated with the Glenpanel Homestead.
- Existing trees associated with Slope Hill gullies, as appropriate and as deemed to have value.
- Trees near the Lake Hayes edge which screen views of the development from the other side of the lake.

Note: Developers will be required to consider other existing mature trees with a view to retaining where possible.

Retained Views

Directed Views

Views through the development to Slope Hill that are maintained through crafting open space allowances and road corridors.

Open Views

Minimally obstructed views across low lying or open rural areas that allow for 360 degree visibility of surrounding landscape features.



Remarkables Views

Views across open space/ low lying development across to Remarkables

Ranges Views

Views across to ranges including Walter Peak and Cecil Peak protected.





Design Principle 3: Support A Healthy Environment & Ecology

Where people are connected to nature and the development improves ecological outcomes in the long-term

The existing environment of Te Pūtahi Ladies Mile is valued for its open space characteristics, however the rural landscape is not representative of original indigenous ecologies and does not support sustainable water management.

The landscape of the Masterplan seeks to support the regeneration of native species alongside the retention of existing trees and complementary exotic planting. The stormwater strategy is aligned with the landscape strategy, providing planted wetlands and swales that ensure future resilience and promote the health of waterways and people.

Key Moves

- · Establish a strong holistic landscape framework.
- · Water is managed in a way that gives effect to Te Mana o te Wai.
- inat g...
 I of the Lake Hayes ... le lake and river.

 I of the environment and confections to ... Maintain ecological value of the Lake Hayes wetland edge, and improve
 - Support kaitiakitanga of the environment and connections to nature



Landscape Concept

The overall landscape strategy for Ladies Mile seeks to create a strong vegetation framework that supports the regeneration of native ecologies; provides for habitat connections between Lake Hayes, Slope Hill, and the Shotover river; and reflects the rural, agricultural, and open space qualities of the wider Wakatipu Basin.

SH₆

SH6 is a major gateway to Queenstown and the landscape approach is to retain and enhance the existing qualities of this arrival experience – namely a tree lined and landscaped corridor with open views to the Remarkables and the establishment of key view corridors to Slope Hill. The existing chestnut trees on the Southern side of SH6 should be retained and additional tree planting to both sides should be large scale exotic species to create a consistent and distinctive arrival experience.

Native Corridor:

A habitat corridor is proposed to the base of Slope Hill to connect Lake Hayes with the Shotover river. Planting will reflect the original woodland, scrub-land, and tussock grassland ecology of the area. Whilst outside of the study area the plan promotes the re-vegetation of the lower Slope Hill gullies to contribute to stormwater management, water quality, biodiversity, and habitat creation.

The focus of planting along, and to the north of the primary spine road should be native including stormwater reserves and swales, walkways, amenity reserves and private gardens. Exotic species for heritage and amenity values can be incorporated. The swale systems on primary link roads to SH6 extend the native planting to meet SH6 and provide a distinctive character for Ladies Mile.

Primary entrance roads:

Street tree planting for the 3 main entrance roads should be large scale to reflect the agrarian landscape and language of shelter-belts and strong lines. Form and placement should be considered so as to maintain and accentuate views to Slope Hill.

Existing trees:

Existing mature trees have been identified for retention, notably the Oak lined driveway and trees associated with the homestead. These trees provide a maturity and landmarks for the development that are not easily replaced.

Internal Streets:

Street tree and under-planting to internal streets, should be a blend of native and exotic species selected to compliment the overall planting framework whilst responding to site specific view shafts, solar gain, provision of shade, and scale. It is also anticipated that the tree planting within private lots will contribute to the overall streetscape, and again species should be selected to contribute to overall biodiversity, bird habitat, and the overall ambition for a network of connected green neighbourhoods.

Add

ays,

and

ary

provide a



Native Ecologies


To support and restore native ecologies.



Exotic local character
Exotic, deciduous trees reflecting local
character and providing seasonal variation.



Native and Exotic blend
Blending native shrub and herbaceous species with exotic trees to celebrate both characters and extend native habitats.



Planting Palette





Cabbage Tree Cordyline australis



Kowhai Sophora microphylla



Kowhai Sophora microphylla



Toi toi

Austroderia

richardii

Beech **Tussock** Fuscospora Chinochloa rigida cliffortiodes



serrata

Red Tussock

Chinochloa

rubra

Wineberry Manuka Aristotelia Leptospermum

Corokia

Corokia

cotoneaster

scoparium







Tree Daisy Olearia bullata



Hebe

Hebe

ordora

Tree Daisy Discaria toumatou



Flax Phormium tenax

Retained trees

(2)

Mountain Ash

Eucalyptus

regnans

Tulip Tree

Liriodendron

tulipfera

Olearia

Olearia

bullata

Flax

Phormium

tenax

Flax

Phormium

tenax

Large scale deciduous species to compliment existing SH6 character

(3) Internal streets

A blend of native and exotic species. Low lying native species to provide habitat and native character. Exotic street trees to compliment local character and provide passive solar benefits.

- Swale/water sensitive native planting
- Exotic deciduous trees

Collector Road (4)

The green link across the development with natural stormwater treatment, cycle and walk ways integrated within the native vegetation.

- · Swale/water sensitive planting
- Habitat friendly (flowers + berries)

(5) Reserves

Native planting palette for stormwater and recreation reserves to reflect the indigenous woodland species of the ecological region and support habitat for native

- Kowhai trees for shade
- Water sensitive plants
- Amenity planting

(6) Slope Hill Gullies

Support the re-vegetation of slope hill gullies to provide habitat and improve stormwater management.

- Plants that handle dampness
- Plants that attract insects and birds (typically berries & flowers)
- Planting palette to reflect original vegetation of Slope Hill area



Stormwater Strategy

Stormwater Strategy Key Features

- Utilise stormwater management solutions that mimic the natural water cycle and enhance the water quality.
- Employ an integrated stormwater management approach that supports connectivity to the natural environment and gives effect to Te Mana o te Wai and the community wellbeing.
- Manage flooding and surface water flow to safeguard the community and infrastructure in a sustainable manner.
- Implement stormwater management solutions that deliver lifecycle operational and economic resilience.
- Alignment between 'blue' stormwater strategy and the wider 'green' landscape and open space strategies.



PRECEDENT IMAGES

- Stormwater wetland with native planting and walking paths.
- 2 Stormwater swales with native planting
- and pathways winding across and around.
- 4 Stormwater retention pond with native planting and walking paths.







Hooten Reserve & Lucas Creek, Albany, Auckland. Project by Bradbury McKegg (BMLA). Source: https://architecturenow.co.nz/articles/hooten-reserve-lucas-creek/











Design Principle 4: Create Self Sustained & Connected Communities

With self-servicing local amenity and a central community heart/hub

There is potential for Te Pūtahi Ladies Mile to provide strengthened community facilities and amenity for the new community, and also for the existing communities across State Highway 6.

The design allows for a vibrant community heart, with the Town Centre to the north of SH-6, and a Community and Sports Hub to the south connected via underpass and eventually, signalised crossings. The Town Centre is a mixed use area with the ability to grow in commercial use depending on demand. Medium/High density living creates a critical mass of people to support shared amenity including parks, play spaces, shared parking and community gardens. Density and the supporting shared spaces encourage social interaction, moments for connection and ability to know your neighbours.


A heart for both existing and new Araction and shared amenity.

A reaction and shared amenity.

Town Centre




The Town Centre is in the middle of the development area, across the State Highway from the Community and Sports Hub. The zoning supports Commercial and Residential use. The Town Centre area is large enough to Slope Hill future proof for growth in population and commercial demand. It enables a mix of commercial, retail and hospitality use typically on the ground floor with the opportunity for office spaces and residential apartments above. Community Park High School Play area Stormwater Area Stormwater Wetland + 24.5m Max Height Swale Network High School Grounds **Town Centre** + 13m Max Height Consolidated parking in Town Centre Town Centre Civic Space Safe Crossing via Underpass Sports Hub Community Hub Queenstown Country Club Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education




Town Centre Visualisation

The Town Centre is a vibrant community heart for both the new development area and surrounding communities. The street alongside the town centre has dedicated two way cycle way and planted swale, which provides an active link through the site. Along the street there are multiple safe crossings that link across to links over the swale to adjacent swales.

The commercial street frontage activated with glazing, outdoor seating and continuous canopies provide cover. Consolidated parking is provided off street and behind the main street frontage.







Community and Sports Hubs

Key Features

- Located across SH-6 from the Town Centre

 pedestrian and cycle access possible via underpass.
- Straddles the new development and the existing communities of Lake Hayes Estate, Queenstown Country Club and Shotover Country.
- Zoning to allow for Open Space and Community Use, and could include uses such as Community Buildings, Indoor Sports Facilities, Clubrooms, Community Park and Sports Fields.
- The Sylvan Street Link can be implemented (depending on demand) to improve connectivity for the existing communities to the south of SH-6.
- Existing trees to remain where viable to add landscape character and amenity.

Multi-Use Sports Fields

Sylvan Street Link

Safe Crossing via Underpass

Landmark Community Building and Associated Facilities

e.g.. Play Area, Indoor Sports Facilities, Shared Use Spaces.

Retained Existing Trees

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education







Design Principle 5: Ensure Sustainable Transport Networks Communities

With a well connected movement network - offering high quality walking, cycling, and public transport

The Masterplan supports a step change from private car reliance to public and active travel modes.

Streets are designed with safe cycle and walking routes, crossing and cycle networks w...

ind.


its for people that play an active role in urbanic in the control of the control allowances, and connections to existing walking/cycling routes are provided. Existing bus networks are improved and the fully developed public transport network will provide bus stops along SH-6 within 500m of all new residential neighbourhoods. By prioritising shared and active modes of travel Te Pūtahi Ladies Mile can be a leading example for sustainable growth in the wider Queenstown Lakes area.


Key Moves

- · Promote a step change by prioritising public transport and active mode
- · Ensure quality pedestrian and cycle networks within Te Pūtahi and
- · Design attractive streets for people that play an active role in urban life.

Initial Public Transport Networks








Fully Developed Public Transport Networks






State Highway 6 Corridor

State Highway 6 Corridor - Fully Developed Future Plan

- 1. Eastbound bus lane from Stalker roundabout to eastern roundabout
- 2. NZUP westbound bus lane extended to eastern roundabout
- 3. Pedestrian/cycle routes adjacent to both sides of SH6 between eastern roundabout and Stalker Road
- 4. Laurel Hills access from consented access point on Stalker Road
- Pedestrian/cycle route to Spence Road via raised pedestrian/cycle crossing on Lower Shotover Road

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education





Street Types



Healthy streets are vital part of supporting sustainable development.

Five uniquely crafted street typologies are proposed for this masterplan. The design and the arrangement of key elements (such as planting, footpaths, cycle lanes, roading, and parking) will support a street network that is functional in terms of helping people getting around safely and efficiently and is an attractive public space for the community.

Encourage modal shift

The street network is designed to support safe and convenient walking and cycling, and access to local buses, through the use of traffic calmed slow streets, separated cycle ways, pedestrian priority intersections, and frequent crossing facilities.


Attractive streets

Each street allows for generous tree planting and vegetation to support local biodiversity and residents' connection to nature.

Social streets

Streets as places that encourage social interaction by providing slow family friendly residential streets that have places to sit, are multi-use, and support 'play along the way'. The Town Centre street has wide footpaths that allow for landscape amenity and space for outdoor seating for businesses and cafés.

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education




Illustrative Street A

Key Connector Road parallel to Slope Hill

Key Features:

- · 40km/hr design speed & posted legal speed.
- · Additional speed reductions at school safety zones.
- Future proofed for buses.
- · Separated dual cycleway
- · No driveway vehicle crossings (access from side streets only).
- · Vertical & horizontal traffic calming @ ~45m intervals.
- · Side streets adjoining road A (swale side) @ minimum 120m intervals.
- · Side streets adjoining road A (southern side) @ minimum 60m intervals.
- Pedestrian crossing facilities at key intersections and desire lines.
 Maximum spacing 120m.
- · Raised footpath crossings to side streets.
- Minimum tree spacing in parking lane @ max 22m (every ~3 parking spaces)
- · Cycleway and footpath are adequately lit.
- · Street furniture for respite. Seating every 60m.






Illustrative Street B

Connector Road perpendicular to Slope Hill

Key Features

- · 40km/hr design speed & posted legal speed.
- · Future proofed for buses.
- · Separated dual cycleway
- · No driveway vehicle crossings on cycleway side.
- · Road access for up to one street on either side of road.
- · Walking and cycle access to adjacent streets every 60m.
- Vertical & horizontal traffic calming @ ~45m intervals.
- Pedestrian crossing facilities at key intersections and desire lines.
 Maximum spacing 120m.
- · Raised footpath crossings to side streets.
- Minimum tree spacing in 'Berm 2' @ 12m centres.
- · Minimum tree spacing in 'Berm 3' @ 22m centres (every 3 carparks).
- · Cycleway and footpath are adequately lit.
- · Street furniture for respite. Seating every 60m.
- · Allows views to Slope Hill.




Illustrative Street C

Main Connector Road adjacent to Town Centre

Key Features

- · 30km/hr design speed & posted legal speed.
- · Future proofed for buses.
- · Separated dual cycleway
- No vehicle crossings on cycleway side. Excludes walking and cycle access.
- Road access for up to two number of side streets on the Eastern side of road, and one number on the Western side.
- · Vertical traffic calming at ~45m intervals.
- Pedestrian crossing facilities at key intersections and desire lines, and at a maximum spacing of 120m.
- · Raised footpath crossings to side streets.
- Minimum tree spacing in parking lane @ max 22m centres (every ~3 parking spaces)
- · Street furniture for respite. Seating every ~10m.
- Cycle parking.
- · Spill out areas for cafe seating.
- Cycleway and footpath are adequately lit.
- Canopy to town centre frontages (2.5m wide with 3.5m RL ground clearance
- · Enables views to Slope Hill





Illustrative Streets E & F

Local Roads within Superlot Neighbourhoods

Key Features (E)

- · Utilized as 'Local Road Type E' on structure plan.
- · Low traffic neighbourhood street.
- · 30km/hr design speed & posted legal speed.
- · Vertical & horizontal traffic calming:

Interventions at ~30m intervals and at intersection thresholds to side streets.


Interventions to include trees and planter build outs.


- · Raised footpath crossing at side streets.
- Minimum 8m between vehicle crossings.
- · Minimum tree spacing in berms @ 22m centres (every 3 no. carparks)
- · Seating every 100m.
- · Incorporates 'play along the way'.

Key Features (F)

All of the above Key Features (E) +

- Maximum length 60m, and can't form a continuous road with roads beyond.
- · Minimum street tree spacing @ 16m centres (every 2 no. parking spaces)
- Seating every 60m.





Berm + Parking Footpath + Services





Design Principle 6: Do density well, provide quality & diverse housing

To ensure there is a variety of housing choice that fosters community and shared amenity

Te Pūtahi Ladies Mile must provide efficient, diverse housing that caters for the range of community, family and individual needs. The design allows for a choice of housing through difference typologies, housing types, sizes and options for various delivery models.

Given the growing population of the region there is pressure for land to be developed efficiently to ensure future generations are catered for, and inefficient urban sprawl does not continue. The Masterplan and planning variation ensures medium and high density housing is provided where appropriate. Where density is increased, shared facilities are necessary to ensure lifestyle needs are met. Affordable housing options are provided through housing diversity, choice and alternative delivery methods

Key Moves

- · Offer a choice of lifestyles through a range of quality housing typologies, sizes and affordability.
- commercial activity, community facilities and enabling efficient land use.

gh a range c.
Ality.

Sity living to support public transport, nunlty facilities and enabling efficient land c.



Typologies

North of SH-6

Typology Mix

A mix of typologies allows for diversity of housing choice.

- North of SH-6 includes medium to high density housing typologies; a mix of Apartments, Walk-Up's, Terraces and Duplex Housing.
- A mix of these typologies will meet the planning requirements of the Medium and High Density Residential zones.
- Stand-alone housing is not permitted north of SH-6. This is because it is not an efficient use of land and does not support the population requirements.
- Alongside medium and high density living will be shared outdoor space and amenity.
- South of SH-6 typologies could include Terraces, Duplex and Standalone housing. A mix of these could meet the Lower Residential Zoning rules
- Typology mix is encouraged by requirements in the planning provisions.

Apartments

Multiple households operating as a group over 4 or more stories with shared amenity, servicing and lift access. Located to best utilise public space and amenities including transport hubs. Medium to high density land use.






Walk-Up Apartment

Multiple households operating as a group up to 4 stories with shared amenity, servicing and stair access. Medium density land use.








North of SH-6

South of SH-6

Terrace Housing

Individual households on compact lots with shared party walls up to 3 stories. Private servicing and outdoor space with opportunities for some shared amenity. Medium density land use.






Duplex/ Semi-Detached


One household per lot with a shared party wall. Each house with its own amenity and servicing. Medium-Low density land use.





Stand-alone Housing

One household per lot operating independently with its own amenity and servicing. Low density land use.







Density and shared amenity

With Medium and High Density Living, comes the necessity for an increase in shared amenity. Key considerations include:

- Allowance of Open Space and Parks within walking distance of all Medium/High Density Units.
- · Open Space outlook from living/ bedrooms, connection to nature.
- · Good Solar Access to outdoor living spaces.
- Medium/High Density living is in close proximity to community facilities i.e. schools, parks and Town Centre.
- · Consolidated shared parking.
- · Options for shared community gardens.
- · Access to shared pathways connecting to major Active Travel Routes.
- Access to 'Play Along the Way' in walking distance from higher density living to support family living.







Alternative Housing Delivery Models

There are opportunities for alternative housing delivery models to provide more diversity, choice and affordability within Te Pūtahi Ladies Mile

- Currently housing delivery in New Zealand is predominantly focused toward the 'build to sell' model. It is becoming clear this model does not provide enough options for people.
- There are alternative potential housing delivery models that are utilised overseas. These alternative models can bridge the gap between emergency housing and the current dominant free market model.
- The adjacent diagram show the housing continuum, and a range of potential housing delivery options that have the potential to improve housing diversity, affordability and choice.
- Te Pūtahi Ladies Mile has the potential to provide positive housing options for those currently left out of the housing market.
- The provision of apartment living also provides more choice and in nature can provide a more affordable option due to the increased density and opportunities for shared amenity.







Design Principle 7: Develop a Resilient & Adaptable Plan

That takes a long term approach and is resilient for future generations

Te Pūtahi Ladies Mile Masterplan and the associated planning variation sets out a legible plan for future growth of the area to achieve efficient land-use, transport connectivity, community amenity and sustainable water management alongside a strong sense of place and landscape identity.

alopment.

.s as a mechanism to manage ob.
.rid integrated future growth The structure plan sets out a clear spatial framework to ensure that development is done well and ensures the objectives of the Masterplan are met. The structure plan and associated planning provisions work together to guide developers toward appropriate design responses to a range of local conditions. They ensure development is cohesive across the masterplan area, even as it may happen accumulatively over time. They also support consolidated strategies for shared amenity and infrastructure such as stormwater, roading, transport, open space and community facilities. The development shows leadership on climate change (net zero by 2050) through encouraging low carbon emission design, ecological regeneration, and waste minimisation

Key Moves

- · Set out a legible & clear structure to future proof the land and avoid sporadic and adhoc development.
- · Identify an appropriate development response that is sympathetic to
- · The Structure Plan acts as a mechanism to manage development while




Zoning Plan





Sub Areas





Structure Plan Moves

The Structure Plan Moves Diagram describes the primary moves that the structure plan supports:

- · A strong transport framework to support a cohesive development.
- A strong stormwater management strategy to support a consolidated approach and to ensure enough land is allowed for to future proof in a changing climate.
- Allowances for public access and active travel links into existing trails, and access to bus stops.
- Allowance for safe crossing of State Highway 6 via underpass into the centre of Te Pūtahi Ladies Mile, with enough space to ensure a quality, accessible, and appropriately landscaped design.
- Buffer to SH-6 from development to the north via the 'Amenity Access Area' which includes active transport links and landscape treatment.
- View protection for views to surrounding mountains; Cecil Peak, Walter Peak, Ferry Hill from SH6 at western end of Te Pūtahi Ladies Mile.
- Allowance for a Road Link to Sylvan Street to future proof for increase on public transport demands.
- Open Space land and a Community Park is protected to ensure open space visual links and quality outdoor amenity for future residents.
- Key existing trees are protected to conserve landscape heritage character and provide visual amenity and buffering.
- A landscape buffer is introduced to the north west corner toward Lower Shotover Road to screen development in Te Pūtahi Ladies Mile.


Note: Please refer to Drawing 'Te Pūtahi Ladies Mile Structure Plan - General' for actual structure plan.






Structure Plan Moves Diagram





Density Diagram








Yield Table

#	Zone	Measured Area (m2)	Average Density (u/Ha)	Gross Developable Area (Ha)	Average Units	Min -5%	Max +5%
TE PŪT	AHI LADIES MILE	(NORTH of SH	5)		•		
A1	Resi - Med	40,523.07	40	4.1	164	156	172
A2	Resi - Med	29,772.41	40	3.0	120	114	126
B1	Resi - Med	15,452.09	40	1.5	60	57	63
B2	Resi - Med	48,120.06	40	4.8	192	182	202
B3//	Schools/		40	3,3	//////	/////	(/////
C1	Resi - High	20,022.18	70	2.0	140	133	147
C1(SV)	Resi High	9,456.60	(76)///	(0.9)///	(63)	(60)///	(66)
C2	Resi - High	70,759.82	70	7.1	497	472	522
D1//	Hub - Commercial	20,813.04		2.1///	+65	+0///	+130
E1	Resi - High	46,301.61	70	4.6	322	306	338
E1(SW)	Resi - High	4,246,82///	(70)///	(0,4)///	(28)////	(27)	(29)
E2//	Schools	72,675.92	70///	7.3			
F1	Resi - High	47,789.58	70	4.8	336	319	353
G1	Resi - Med	9,647.76	40	1.0	40	38	42
				35	1,936	1,777	2,095
				(1.3)///	(911)///	(87)	(95)///
				36.3Ha	2,027	1,864	2,190
_				ex schools	2,021		
ΓΕ PUT	AHI LADIES MILE	(SOUTH of SH6	5)			2	10
H1	Resi - Low	30,409.43		2.9	38		38
H2	Resi - Low	82,783.40		8.3	60		60
l1	Resi - Low	23,343.63		2.3	30	11,	30
J1	Resi - Low	7,937.25		0.8	17		26
				14.3	145		154
140 140							
TE PŪTAHI LADIES MILE							
AVEDAGE VIELD							
	AVERAGE YIELD			50.6Ha ex schools	2,172		
	YIELD RANGE					4 777	2 244
	HELD RANGE					1,777	2,344

Building Heights

Key Concepts

- · Increases in proximity to Slope Hill, height is 'tucked in' to hill
- 3 Storey Max and 2 Storey Min Overlays to manage perceived density and dominance while creating urban continuity to SH-6
- · RL Height Restriction supports view shaft
- Enable timber structures in height allowance future proofing development options
- · Refined stepping of heights relates to adjacent land use
- Heights relate to density to encourage diversity of typologies across the zones



8m

- · Enables 2 storey houses
- Maintain 45/30deg roof opportunities

13m

- Enables 3 storey walkup with varied roof forms
- Allowance for lift overrun of 1m (in Town Centre)
- 3.6m allowance FFL- FFL height
- Integrated plant
- 4m commercial ground floor

24.5m

- · Enables up to 6 storey apartment
- Allowance for lift overrun of 1m
- 3.6m allowance FFL-FFL height
- Integrated plant
- · 4m commercial ground floor

RELEVANT DENSITY PLANNING ZONES:

Lower Density (SH6 South)

Med Density (40u/Ha +/- 5%)


Med Density (40u/Ha +/- 5%)

High Density (70u/Ha +/- 5%)

Town Centre South

High Density (70u/Ha +/- 5%)

Town Centre North



View Shaft Intent





View Shaft Controls



Key Concepts

Maintain high-value views to the southwest to Oustanding Natural Features

- · Ferry Hill and Peninsula Hill in the close distance
- · Cecil Peak, Walter Peak and Bayonet Peaks in the mid distance
- · Mt Nicholas in the far distance

Controls

- · RL height limit is set to ensure buildings do not project into the view shaft in the height control area.
- · Indicative view diagrams in planning documents to describe intent.



