Appendix D

B4U DIG PLANS

Watercare
An Auckland Council Organisation

Sequence No: 11016866
Job No: 2152790
Location: Totara Rd

beforeudig.co.nz



Legend

- Waste Water
- Water
- Electrical/Cathodic Protection
- Waste Water Proposed
- Water Proposed

V Valve
H Hydrant
M Water Meter
Manhole

Watercare Services Ltd accepts no responsibility for incomplete or inaccurate information contained on this map. Use of this data is subject to, and constitutes acceptance of the conditions set out in our disclaimer. Topographic information is derived from Land Information New Zealand, CROWN COPYRIGHT RESERVED.

N

Scale: 1:2915
Expires: 23 Feb 2023

DISCLAIMER: While reasonable measures have been taken to ensure the accuracy of the information contained in this plan response, neither Watercare nor PelicanCorp shall have any liability whatsoever in relation to any loss, damage, cost or expense arising from the use of this plan response or the information contained in it or the completeness or accuracy of such information. Use of such information is subject to and constitutes acceptance of these terms.

Watercare
An Auckland Council Organisation

Sequence No: 11016866
Job No: 2152790
Location: Totara Rd

before u dig .co.nz



Legend

- Waste Water
- Water
- Electrical/Cathodic Protection
- Waste Water Proposed
- Water Proposed

V Valve
H Hydrant
M Water Meter
Manhole

Watercare Services Ltd accepts no responsibility for incomplete or inaccurate information contained on this map. Use of this data is subject to, and constitutes acceptance of the conditions set out in our disclaimer. Topographic information is derived from Land Information New Zealand, CROWN COPYRIGHT RESERVED.

N

Scale: 1:1000
Expires: 23 Feb 2023

DISCLAIMER: While reasonable measures have been taken to ensure the accuracy of the information contained in this plan response, neither Watercare nor PelicanCorp shall have any liability whatsoever in relation to any loss, damage, cost or expense arising from the use of this plan response or the information contained in it or the completeness or accuracy of such information. Use of such information is subject to and constitutes acceptance of these terms.

Watercare
An Auckland Council Organisation

Sequence No: 11016866
Job No: 2152790
Location: Totara Rd

beforeudig.co.nz



Legend

- Waste Water
- Water
- Electrical/Cathodic Protection
- Waste Water Proposed
- Water Proposed

V Valve
H Hydrant
M Water Meter
Manhole

Watercare Services Ltd accepts no responsibility for incomplete or inaccurate information contained on this map. Use of this data is subject to, and constitutes acceptance of the conditions set out in our disclaimer. Topographic information is derived from Land Information New Zealand, CROWN COPYRIGHT RESERVED.

N

Scale: 1:1000
Expires: 23 Feb 2023

DISCLAIMER: While reasonable measures have been taken to ensure the accuracy of the information contained in this plan response, neither Watercare nor PelicanCorp shall have any liability whatsoever in relation to any loss, damage, cost or expense arising from the use of this plan response or the information contained in it or the completeness or accuracy of such information. Use of such information is subject to and constitutes acceptance of these terms.

CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth.
In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	ZC33
Plan ID	89072
Version	GH
Current at	26/01/2023



ZC 33

CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	BB79
Plan ID	94863
Version	GD
Current at	26/01/2023

BB79 R10
W WEI

'der Filemaster "D"
SELF-ADHESIVE PLAN HANGER
mber 137841



Whitcoulls

CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	BC80
Plan ID	95179
Version	GH
Current at	26/01/2023

BC 80 R10
W
WEI

Order Filemaster "D"
SELF-ADHESIVE PLAN HANGER
Number 137841



CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	BB80
Plan ID	95315
Version	GE
Current at	26/01/2023

BB80 R10
W. WEI

der Filemaster "D"
SELF-ADHESIVE PLAN HANGER
nber 137841



N.Z.P.O. DRG. Nº AN 202

N.Z.M.G. REF. R10-500/022-80

BB80

N.Z.P.O. REGIONAL ENGINEER AUCKLAND III

WHENUAPAI
UNDERGROUND TELEPHONE CABLE SYSTEM

CAUTION
POSITIONAL MEASUREMENTS ARE SUBJECT TO REASONABLE TOLERANCE. COVER AT INSTALLATION WAS : ROADWAY 0.90m FOOTWAY 0.35m UNLESS SHOWN OTHERWISE.
NOTE: COVER MAY HAVE CHANGED AND MUST BE CHECKED ON SITE.

ORIGINAL SCALE 1:500 A1

DRAWN N.Z.
CHKD.
APPD.
DATE 2.7.80

DEL	CHKD	DATE	ISS	CHANGE
DRN		10.5.96	1	50* Added LHS
AN		23.8.07	3	EURRED LOOP TOTARA RD (84571 00050)
SU	VS	26.02.15	4	1/100mmP ADDED 97-99 TOTARA ROAD (V940461)
VEL	VS	24.10.16	5	APP.JCNTS AND REFERENCE TEXT ARE ADDED (V965153)

DEL	CHKD	DATE	ISS	CHANGE

	BB79	BC79
	BB80	BC80

CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	AS77
Plan ID	100320
Version	GE
Current at	26/01/2023

DEL	CHKD	DATE	ISS	CHANGE
P.B.V.	S.T.	12.7.88	1	
PCJ		30.3.01	2	Added RLG BA76/1 to New Lots
EL		24.7.01	3	Cancel H1/281
PM		7.3.12	4	New CT Lot 25 Added for Subdivision off James Paige 1520796

DEL	CHKD	DATE	ISS	CHANGE

DRAWN : P.B.V.
CHKD : S.T.
APPD : J.P.
DATE : 12.7.88

KUMEU
UNDERGROUND TELEPHONE CABLE SYSTEM

CAUTION
POSITIONAL MEASUREMENTS ARE SUBJECT TO REASONABLE TOLERANCE. COVER AT INSTALLATION WAS: ROADWAY 0.50m FOOTWAY 0.35m. UNLESS SHOWN OTHERWISE NOTE: COVER MAY HAVE CHANGED AND MUST BE CHECKED ON SITE.

ORIGINAL SCALE 1 : 2000 A1

TELECOM CORPORATION OF NEW ZEALAND LTD.
AREA MANAGER AUCKLAND WEST

TCNZ DRG No: AV 2
NZMG REF: R10-2000/05.20
TCNZ SHT No: AS77



CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	BA77
Plan ID	284129
Version	AF
Current at	26/01/2023

DEL	CHKD	DATE	ISS	CHANGE
DCL		03.09.02	1	NEW SHEET DRAWN
SRG		01.03.12	2	TM35/484 & 7x/P ADDED 25 JAMES PAIGE LANE (VS20961)

DEL	CHKD	DATE	ISS	CHANGE

DRAWN:
CHKD:
APPD:
DATE:

KUMEU

UNDERGROUND TELEPHONE CABLE SYSTEM

CAUTION
POSITIONAL MEASUREMENTS ARE SUBJECT TO REASONABLE TOLERANCE. COVER AT INSTALLATION WAS : ROADWAY 0.50m FOOTWAY O.35m. UNLESS SHOWN OTHERWISE NOTE: COVER MAY HAVE CHANGED AND MUST BE CHECKED ON SITE.

ORIGINAL SCALE: 1:2000

TELECOM CORPORATION OF NEW ZEALAND LTD.

NZMG REF: R10.2000/

TCNZ DRG. No. AN 202

TCNZ SHT. No. BA77



CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth. In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	AS77
Plan ID	551632
Version	GD
Current at	26/01/2023

UNPLOTTED PLANT AS77 R10 R10-2000/05.20 WHENUAPAI AS77 R10

Re-Order Filemaster "D"
SELF-ADHESIVE PLAN HANGER
Patent Number 137941

AN 77	AS 77	BA 77
AN 01	AS 01	BA 01

WHENUAPAI
UNDERGROUND TELEPHONE CABLE SYSTEM
WHENUAPAI

OCD DIFFERENCE | BASE DATA ORIGIN | APPD
ORIGINAL SCALE 1:2000

Telecom Corporation of New Zealand Limited
DISTRICT MANAGER

AS77
NZMG REF : R10-2000/05.20

DISTRICT	SOURCE	NUMBER	SIZE
AN	TCNZ	1161	A1



© Copyright Reserved Telecom
UD226-1987

CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth.
In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	Gold
Plan ID	
Version	
Current at	26/01/2023



CHORUS

WARNING: Buried services are widespread and it should be assumed that they are present until it is proven otherwise.
Cables should be expected to be found at ANY depth.
In most instances Chorus plans do NOT show house service feeds on private property.
Refer to cover letter provided with your request for additional information - use all plans provided in conjunction with each other
You are responsible for interpreting the information provided and should refer to Worksafe.govt.nz for the 'Guide for safety with underground services'
For assistance contact Chorus Network Protection on 0800 822 003 or if you suspect damage has occurred contact 0800 463 896 opt 2

N

Plan Name	Gold
Plan ID	
Version	
Current at	26/01/2023